Attorney Docket No. 22338-00602

IN THE CLAIMS

The listing of claims will replace all prior versions, and listings of claims in the application:

- 1. (Currently Amended) A method of blocking an immune response to an allogeneic graft in a mammal human, where the mammal human is not suffering from a malignancy, comprising administering to the mammal a therapeutically effective amount of an antibody which binds to the CD20 antigen on human B lymphocytes, wherein after a first administration of said antibody the circulating levels of B cells in the human are reduced to block said immune response.
 - 2-5. (Cancelled)
- 6. (Previously Presented) The method of claim 1 wherein the antibody is not conjugated with a cytotoxic agent.
- 7. (Previously Presented) The method of claim 1 wherein the antibody comprises rituximab.
- 8. (Previously Presented) The method of claim 1 wherein the antibody is conjugated with a cytotoxic agent.
- 9. (Original) The method of claim 8 wherein the cytotoxic agent is a radioactive compound.
- 10. (Previously Presented) The method of claim 9 wherein the antibody comprises Y2B8 or ¹³¹I-B1.

Attorney Docket No. 22338-00602

- 11. (Previously Presented) The method of claim 1 comprising administering the antibody intravenously.
- 12. (Previously Presented) The method of claim 1 comprising administering the antibody subcutaneously.
- 13. (Previously Presented) The method of claim 1, comprising administering a dose of from about 20mg/m² to about 1000mg/m² of the antibody to the mammal.
- 14. (Original) The method of claim 13 wherein the dose is in the range from about 20mg/m^2 to about 250mg/m^2 .
- 15. (Original) The method of claim 14 wherein the dose is in the range from about 50mg/m^2 to about 200mg/m^2 .
- 16. (Previously Presented) The method of claim 1 comprising administering an initial dose of the antibody followed by a subsequent dose, wherein the mg/m² dose of the antibody in the subsequent dose exceeds the mg/m² dose of the antibody in the initial dose.
 - 17-21. (Cancelled)
- 22. (Previously Presented) The method of claim 1 comprising administering the antibody to the mammal before the mammal is exposed to the graft.
 - 23-27. (Cancelled)
- 28. (Currently Amended) A method of treating graft-versus-host or host-versus-graft disease in a human, wherein the graft is from a human having the same or a different genetic origin as the human being treated, comprising administering to the human a therapeutically

01/28/2005 15:01:25

Attorney Docket No. 22338-00602

effective amount of an antibody which binds to the CD20 antigen on human B lymphocytes, wherein after a first administration of said antibody, the circulating levels of B cells in the human are reduced to treat said disease.

29-31. (Cancelled)

- **32**. (Previously presented) The method of claim 10, wherein the antibody comprises Y2B8.
- 33. (Previously presented) The method of claim 10, wherein the antibody comprises ¹³¹I-B1.
- 34. (Previously presented) The method of claim 1, wherein the antibody is a human antibody.
- **35**. (Previously presented) The method of claim 1, wherein the antibody is a chimeric antibody.
- **36**. (Previously presented) The method of claim1, wherein the antibody is a humanized antibody.
- 37. (Previously presented) The method of claim 28, wherein the antibody is a human antibody.
- 38. (Previously presented) The method of claim 28, wherein the antibody is a chimeric antibody.
- **39**. (Previously presented) The method of claim 28, wherein the antibody is a humanized antibody.

01/28/2005 15:01:41

Attorney Docket No. 22338-00602

- 40. (Previously presented) The method of claim 28, wherein the antibody comprises rituximab.
- 41. (Previously presented) The method of claim 28, wherein the antibody comprises Y2B8.
- 42. (Previously presented) The method of claim 28, wherein the antibody comprises ¹³¹I-**B**1.
- 43. (New) The method of claim 1, wherein the dose of the antibody is substantially less than 375 mg/m².
- 44. (New) The method of claim 28, wherein the dose of the antibody is substantially less than 375 mg/m².
- (New) A method of blocking an immune response to an allogeneic graft in a **45**. human, where the human is not suffering from a malignancy, comprising administering to the mammal a therapeutically effective amount of an antibody which binds to the CD20 antigen on human B lymphocytes, wherein each administration of the antibody is by intravenous injection.
- (New) A method of treating graft-versus-host or host-versus-graft disease in a 46. human, wherein the graft is from a human having the same or a different genetic origin as the human being treated, comprising administering intravenously to the human a therapeutically effective amount of an antibody which binds to the CD20 antigen on human B lymphocytes. wherein each administration of the antibody is by intravenous injection.
 - 47. (New) The method of claim 45, wherein the antibody is a chimeric antibody.

Attorney Docket No. 22338-00602

- 48. (New) The method of claim 45, wherein the antibody is a humanized antibody.
- 49. (New) The method of claim 45, wherein the antibody is rituximab.
- 50. (New) The method of claim 45, comprising administering a dose of from about 20mg/m^2 to about 1000mg/m^2 of the antibody to the mammal.
- 51. (New) The method of claim 1, wherein the dose of the antibody is substantially less than 375 mg/m².
- 52. (New) The method of claim 45 wherein the dose is in the range from about 20mg/m^2 to about 250mg/m^2 .
- 53. (New) The method of claim 45 wherein the dose is in the range from about 50mg/m² to about 200mg/m².
 - 54. (New) The method of claim 46, wherein the antibody is a chimeric antibody.
 - 55. (New) The method of claim 46, wherein the antibody is a humanized antibody.
 - 56. (New) The method of claim 46, wherein the antibody is rituximab.
- 57. (New) The method of claim 45, comprising administering a dose of from about 20mg/m^2 to about 1000mg/m^2 of the antibody to the mammal.
- 58. (New) The method of claim 1, wherein the dose of the antibody is substantially less than 375 mg/m².
- 59. (New) The method of claim 45 wherein the dose is in the range from about 20mg/m^2 to about 250mg/m^2 .

Attorney Docket No. 22338-00602

60. (New) The method of claim 45 wherein the dose is in the range from about 50mg/m^2 to about 200mg/m^2 .